

# PROTEX 3400 / 340gsm PVC- RIPSTOP / FR- 150cm (V33)



Black



Red



White



Yellow



Green



Translucent  
(137 & 150cm)



Blue



Dark green

Base fabric:	550 Decitex Scrim Polyester 50gsm
Coating:	Laminate of Flexible PVC on each side of fabric
Total mass:	340gsm
Finish:	Ripstop / Matt
Roll length:	50m
Roll width:	150cm

Physical properties tested in accordance with BS 3424 "Methods of test for coated fabrics"

TENSILE STRENGTH:	Warp 730 N / 50mm	WATER PENETRATION: Minimum 1500 mm
Part 4, Method 6	Weft 650 N / 50mm	
COLD CRACK:	Not higher than -15°C	CHEMICAL RESISTANCE: Satisfactory
Part 8 Method 10A		
FLEX RESISTANCE:	250,000 flexes minimum to meet	FLAMABILITY: Complies with BS5867 Part 2
Part 9 Method 11B	the requirements of ISO 7854	Type A when Tested by BS5438 Test 2 (B2)
	1984 (Method B)	

These are typical results intended for guidance only  
Conforms with BS3408/20

DECABROMODIPHENYL ETHER (DECABDE) FREE

REACH: Complies with regulation (EC) No. 1907/2006 concerning REACH- Test period March 2014